



Model No.	Dimensions of Assembly (mm)			Dimensions of Block (mm)													Dimensions of Rail (mm)					Mounting Bolt for Rail (mm)	Basic Dynamic Load Rating C(kN)	Basic Static Load Rating C ₀ (kN)	Static Rated Moment			Weight					
	H	H ₁	N	W	B	B ₁	C	L ₁	L	K ₁	G	M	T	T ₁	H ₂	H ₃	W ₀	H ₀	D	h	d				P	E	C(kN)	C ₀ (kN)	M _R (kN-m)	M _P (kN-m)	M _Y (kN-m)	Block (kg)	Rail (kg/m)
EGW 15SA	24	4.5	18.5	52	41	5.5	-	23.1	40.1	14.8															5.35	9.40	0.08	0.04	0.04	0.12	1.25		
EGW 15CA							26	39.8	56.8	10.15	5.7	M5	5	7	5.5	6	15	12.5	6	4.5	3.5	60	20	M3x16	7.83	16.19	0.13	0.10	0.10	0.21			
EGW 20SA	28	6	19.5	59	49	5	-	29	50	18.75															7.23	12.74	0.13	0.06	0.06	0.19	2.08		
EGW 20CA							32	48.1	69.1	12.3	12	M6	7	9	6	6	20	15.5	9.5	8.5	6	60	20	M5x16	10.31	21.13	0.22	0.16	0.16	0.32			
EGW 25SA	33	7	25	73	60	6.5	-	35.5	59.1	21.9															11.40	19.50	0.23	0.12	0.12	0.35	2.67		
EGW 25CA							35	59	82.6	16.15	12	M8	7.5	10	8	8	23	18	11	9	7	60	20	M6x20	16.27	32.40	0.38	0.32	0.32	0.59			
EGW 30SA	42	10	31	90	72	9	-	41.5	69.5	26.75															16.42	28.10	0.40	0.21	0.21	0.62	4.35		
EGW 30CA							40	70.1	98.1	21.05	12	M10	7	10	8	9	28	23	11	9	7	80	20	M6x25	23.70	47.46	0.68	0.55	0.55	1.04			

Note : 1 kgf = 9.81 N