



Model No.	Dimensions of Assembly (mm)							Dimensions of Block (mm)										Dimensions of Rail (mm)						Mounting Bolt for Rail (mm)	Basic Dynamic Load Rating C(kN)	Basic Static Load Rating Co (kN)	Static Rated Moment			Weight			
	H	H1	N	W	B	B1	C	L1	L	K1	G	M	T	T1	H2	H3	WR	H0	D	h	d	P	E				C(kN)	Co (kN)	M _c (kN-m)	M _p (kN-m)	M _y (kN-m)	Block (kg)	Rail (kg/m)
EGW 15SB	24	4.5	18.5	52	41	5.5	-	23.1	40.1	14.8	5.7	φ4.5	5	7	5.5	6	15	12.5	6	4.5	3.5	60	20	M3x16	5.35	9.40	0.08	0.04	0.04	0.12	1.25		
EGW 15CB							26	39.8	56.8	10.15															7.83	16.19	0.13	0.10	0.10	0.21			
EGW 20SB	28	6	19.5	59	49	5	-	29	50	18.75	12	φ5.5	7	9	6	6	20	15.5	9.5	8.5	6	60	20	M5x16	7.23	12.74	0.13	0.06	0.06	0.19	2.08		
EGW 20CB							32	48.1	69.1	12.3															10.31	21.13	0.22	0.16	0.16	0.32			
EGW 25SB	33	7	25	73	60	6.5	-	35.5	59.1	21.9	12	φ7	7.5	10	8	8	23	18	11	9	7	60	20	M6x20	11.40	19.50	0.23	0.12	0.12	0.35	2.67		
EGW 25CB							35	59	82.6	16.15															16.27	32.40	0.38	0.32	0.32	0.59			
EGW 30SB	42	10	31	90	72	9	-	41.5	69.5	26.75	12	φ9	7	10	8	9	28	23	11	9	7	80	20	M6x25	16.42	28.10	0.40	0.21	0.21	0.62	4.35		
EGW 30CB							40	70.1	98.1	21.05															23.70	47.46	0.68	0.55	0.55	1.04			

Note : 1 kgf = 9.81 N