



| Item | Normal | High | Precision | Super Precision | Ultra Precision | Normal | High | Precision | Super Precision | Ultra Precision |
|---|---------------------|-------|-----------|-----------------|-----------------|------------------|-------|-----------|-----------------|-----------------|
| | (C) | (H) | (P) | (SP) | (UP) | (C) | (H) | (P) | (SP) | (UP) |
| Type | HG15, HG20 | | | | | HG25, HG30, HG35 | | | | |
| Dimension tolerance of height H | ±0.1 | ±0.03 | ±0.015 | 0 -0.015 | 0 -0.008 | ±0.1 | ±0.04 | ±0.02 | 0 -0.02 | 0 -0.01 |
| Dimension tolerance of width N | ±0.1 | ±0.05 | ±0.05 | 0 -0.015 | 0 -0.008 | ±0.1 | ±0.05 | ±0.02 | 0 -0.02 | 0 -0.01 |
| Pair variation of height H | 0.02 | 0.01 | 0.006 | 0.004 | 0.003 | 0.02 | 0.015 | 0.007 | 0.005 | 0.003 |
| Pair variation of width N | 0.02 | 0.01 | 0.006 | 0.004 | 0.003 | 0.03 | 0.015 | 0.007 | 0.005 | 0.003 |
| Running parallelism of block surface C to surface A | Running Parallelism | | | | | | | | | |
| Running parallelism of block surface D to surface B | Running Parallelism | | | | | | | | | |